
F	REV.	DESCRIPTION	DATE	BY

	NOMINAL DIMENSIONS			SHOCK AVERAGE	VIBRATIO N	RATED DYNAMIC	
MODEL#	Н	W1(REF)	W2(REF)	LOAD MODE	Klbs./in.	AVERAGE	TRAVEL
				Compression	65	90	0.30
JSQ3-070-T2	0.70	1.00	1.30	Shear	35	40	0.30
				45 deg. C/R	35	50	0.40
				Compression	30	45	0.45
JSQ3-085-T2	0.85	1.10	1.50	Shear	17	20	0.45
				45 deg. C/R	18	30	0.60
				Compression	17	25	0.60
JSQ3-100-T2	1.00	1.25	1.60	Shear	11	12	0.60
				45 deg. C/R	10	20	0.80



OTHER MATERIALS, COMPOUNDS, OR FINISHES WITH EQUAL OR SUPERIOR PROPERTIES MAY BE SUBSTITUTED AS THEY BECOME AVAILABLE.

THO ENTILO WAT BE GODOTHOTED AS THE PERSONNE AVAILABLE.								
CERTIFIED FOR:			SCALE: NONE					
JOB NAME:	— MODEL JSQ3 SERIES		SHEET:	Member	A			
CUSTOMER:	SQUARE WIRE ROPE							
CUSTOMER P.O.:	ISOLATOR	THE VMC GROUP The Power of Together	DRAWING NO.:	REVIS	ION			
SALES ORDER:		Bloomingdale, NJ 07403						